

PNEUMATIVO	INDICI DI CARICO	RAGGIO SOTTO CARICO	PORTATA
10.0/80-12 PR8	CUNA	335	1240
10.0/75-15.3 PR10	CUNA	360	1525
10.0/75-15.3 PR 12	CUNA	360	1695
10.0/75-15.3 PR14	CUNA	360	1900
10.0/75-15.3 PR18	143 A8 (MITAS)	351	2725
10.0/75-15.3 PR18	138 A8 (BKT)		2360
10.0/75-15.3 PR18	TVS EUROGRIP	343	2300
11.5/80 15.3 PR10	CUNA	410	1930
11.5/80 15.3 PR12	CUNA	410	2145
11.5/80 15.3 PR14	CUNA	410	2430
11.5/80 15.3 PR16	141 A8 (MITAS)	386	2575
11.5/80-15.3 PR16	141 A8 (BKT)		2575
11.5/80-15.3 PR18	145 A8 (BKT)		2900
13.0/55-16 PR12		345	2100
13.0/55-16 PR14		345	2400
13.0/55-16 PR18	146 A8	345	3000
13.0/65-18 PR16	CUNA	430	2750
13.0/65-18 PR16	143 A8 (MITAS)	412	2725
14.5/80-18 PR12	CUNA	500	3175

15.0/55-17 PR10	CUNA	410	2080
------------------------	------	-----	------

OK FINO QUA

16.0/70-20 PR10 TRACTION	147 A8 (BKT)	487	3075
16.0/70-20 PR14 TRACTION	154 A8 (BKT)	487	3750

19.0/45-17 PR 10	138 A8 (BKT)	380	2360
19.0/45-17 PR 14	144 A8 (BKT)	380	2800
19.0/45-17 PR 18	156 A8 (BKT)	380	4000

205/70 R15	111 A8 (TAGOM)	305	1090
205/65 R17.5	125 J - 127 J (BRIDGESTONE/FIRESTONE)	343	1650 - 1750
215/75 R17.5	131 A8 - 135 A8 (PNEUSMARCA)	356	1950 - 2180
225/70 R15	110 Q - 112 Q (TAGOM)	314	1060 - 1120
225/75 R17.5	133 A8 (PNEUSMARCA)	367	2060
235/75 R15	113 A8 (PNEUSMARCA)	327	1150
235/75 R17.5	141 J - 143 J (GOODYEAR DUNLOP)		2575 - 2725
245/70 R17.5	139 A8 (PNEUSMARCA)	361	2430
245/70 R17.5	147 A8 (PNEUSMARCA)	360	3075
265/70 R19.5	134 M - 136 M (CONTINENTAL)	401	2120 - 2240
285/70 R19.5	148 A8 (PNEUSMARCA)	409	3150

22.5x8.0-12 PR10	PT. INDUSTRI KARET DELI		1050
23x10.50-12 PR12	BKT	262	1450
23x10.1-12 PR22	TVS	295	2525
26-8.0-14/9.0-14 PR18	ZAMBELLI RUBBER MEC	295	2000
26-8.0-14/9.0-14 PR18	ZAMBELLI RUBBER MEC	295	1900 (IN GEMELLO)
30-11.50-14.5/11.5-15 PR24	ZAMBELLI RUBBER MEC		2680
305/70 R19.5	151 A8 (PNEUSMARCA)	424	3450
385/65 R22.5	160 D (ZAMBELLI RUBBER MEC)	498	4500
400/60-15.5 PR14	MITAS	380	3295
400/60-15.5 PR14	143 A8 (BKT)	380	2725
400/60-15.5 PR14 TRACTION	143 A8 (BKT)	380	2725
425/55 R19.5	165 A8 (PNEUSMARCA)	451	5150
435/50 R19.5	165 A8 (PNEUSMARCA)	426	5150
445/45 R19.5	160 A8 (PNEUSMARCA)	415	4500
445/65 R22.5	168 K (BARUM)	524	5600
445/65 R22.5	168 K (GOODYEAR)	529	5600
445/65 R22.5	169 F (MITAS)	514	5800
18 R22.5	BARUM	532	6325
455/40 R22.5	160 J (GOODYEAR DUNLOP)		4500
500/45-20	160 A8 (MITAS)	445	4500

500/45-22.5 PR12	148 A8 (BKT)	442	3150
500/45-22.5 PR16	154 A8 (BKT)	442	3750
500/50-17 PR10	145 A8 (BKT)	416	2900
500/50-17 PR14	152 A8 (BKT)	416	3550
500/50-17 PR18	157 A8 (BKT)	416	4125
500/50-22.5 PR16	158 A8 (BKT)	475	4250
500/60-22.5 PR12	MITAS	540	3715
500/60-22.5 PR12 TRACTION	164 A8 (BKT)	520	5000
500/60-22.5 PR16	MITAS	540	4390
500/60-22.5 PR16	163 A8 (BKT)	510	4875
500/60-22.5 PR16 TRACTION	169 A8 (BKT)	520	5800
550/45-22.5 PR16	159 A8 (BKT)	475	4375
550/60-22.5 PR12	MITAS	560	4165
550/60-22.5 PR12	160 A8 (BKT)	540	4500
550/60-22.5 PR12 TRACTION	167 A8 (BKT)	550	5450
550/60-22.5 PR16	163 A8 - 167 A8 (MITAS)	534	4875 - 5450
550/60-22.5 PR16	167 A8 (BKT)	540	5450
550/60-22.5 PR16 TRACTION	173 A8 (BKT)	550	6500
560/60 R22.5	172 A8 (BKT)	540	6300

560/60 R22.5	161 D (MITAS)	556	4625
600/40-22.5	169 A8 (MITAS)	473	5800
600/50-22.5 PR12	159 A8 (BKT)	510	4375
600/50-22.5 PR16	MITAS	510	6180
600/50-22.5 PR16 MOTRICE	MITAS	510	5220
600/50-22.5 PR16	165 A8 (BKT)	510	5150
7.50 R15 PR16 V77	VICTORIA	360	2670
7.50 R15 PR16 V77	VICTORIA	360	2535 (IN GEMELLO)